


Son-Nel

FOLDING TABLES AND BENCHES



with IN-THE-WALL or ON-THE-WALL STEEL CABINETS

Designed for service! Every feature of these Son-Nel tables and benches has been carefully devised to produce exactly the facility required for modern institutional service. With a Son-Nel installation, one man can easily convert a whole room into a study hall or cafeteria. Tables and benches are quickly unlocked, easily and safely lowered, securely positioned in place, or are easily detached and moved to any position in the room. When no longer needed, they are easily folded back into precision-made steel wall cabinets; once locked they remain so, with Son-Nel's vandal proof safety locks. Every movement is easier, quicker, safer! Only Son-Nel offers these exclusive features outlined in this folder.

Color

New color vitality for interior wall areas! Son-Nel tables and benches are topped with famous FORMICA — in a wide range of 65 decorator colors! Choose the color and finish that best suits your requirements.

SON-NEL *Guarantee*

Son-Nel is proud of its special design features (as detailed inside this folder), developed with skilled workmanship. For this reason, every Son-Nel Folding Table and Bench carries a full 10-year guarantee against any defects in material or workmanship.

"The Easiest of all to Use"

Son-Nel

FOLDING TABLES AND BENCHES



designed for service
in every detail!

Each table and bench unit will comfortably accommodate 20 children or 18 adults; they are easily detached from wall cabinets for movement anywhere in the room. Son-Nel wall cabinets are sturdily constructed of 16-gauge steel—and may be mounted recessed *in-the-wall* or flush *on-the-wall*. Either way, the colorful table and bench tops fold to become an integral part of the wall surface for stimulating color appeal. Tables may be ordered without benches if so desired.

- ◀ Son-Nel units unfold quietly and smoothly, and when in place provide sturdy, dependable seating and table facilities for virtually any application.


CHECK THESE FEATURES
THAT MAKE

Son-Nel

THE FIRST CHOICE
EVERYWHERE

✓ VANDAL PROOF LOCK

Special female key and Vandal Proof lock prevent unauthorized tampering. Lock cannot be "picked." Units may be released from securely closed position only by use of special Son-Nel key.




✓ TOP LOCKING DEVICE

Folded units are automatically gripped by Son-Nel's top locking device. These safety "fingers" eliminate the hazard of the top tilting outward when unfolding; no adjustment required.




✓ EASY CLOSING FEATURE

Rubber wheels mounted at ends of tables and benches guide units smoothly into wall cabinet, and eliminate danger of scraping edges on floor. Another Son-Nel "designed for service" feature!




✓ FINGER GRIP SAFETY SPACE

No pinched fingers! A full 3/4-inch is allowed between table and bench top sections to positively eliminate the danger of pinched fingers.



✓ "FOOT FREE" STRUTS

Braces for tables and benches angle upward, removing the tendency for persons to press feet against them, and at the same time providing greater leg room.




✓ AUTOMATIC SLOW-OPENING ACTION—An Optional Feature






Hydraulic valve action! A specially designed Son-Nel hydraulic piston controls rate of opening to gently unfold units for safe handling. Unlock the unit, let it go, and it lowers gently to the floor automatically, freeing service personnel for other duties.

✓ 100% INTERCHANGEABLE


On any given job, Son-Nel bench and table units fit smoothly into any of the cabinets: they do not have to go back into the cabinet from which they came! This eliminates "key numbers" and saves time and effort when clearing room area—another Son-Nel service-ease feature.



IN-THE-WALL



SECTION B-B



SECTION A-A

ON-THE-WALL



SELECTION CHART

MODEL NO.		TYPE	CABINET SIZE					
			Height		Width		Depth	
			Clear Opening	Outside Incl. Flange	Clear Opening	Outside Incl. Flange	Clear Opening	Cabinet Depth
FTB-3	In-the-Wall	1 table, 2 benches, cabinet	86 "	87"	59 ³ / ₈ "	60 ⁵ / ₈ "	6"	5 ¹¹ / ₁₆ "
FTB-6	In-the-Wall	2 tables, 4 benches, cabinet	86 "	87"	59 ³ / ₈ "	60 ⁵ / ₈ "	12"	11 ¹ / ₁₆ "
FTB-9	In-the-Wall	3 tables, 6 benches, cabinet	86 "	87"	59 ³ / ₈ "	60 ⁵ / ₈ "	18"	17 ³ / ₈ "
FTB-12	In-the-Wall	4 tables, 8 benches, cabinet	86 "	87"	59 ³ / ₈ "	60 ⁵ / ₈ "	24"	23 ³ / ₁₆ "
FT-1	In-the-Wall	1 table, cabinet	86 "	87"	31"	32 ¹ / ₄ "	6"	5 ¹¹ / ₁₆ "
FT-2	In-the-Wall	2 tables, cabinet	86 "	87"	31"	32 ¹ / ₄ "	12"	11 ¹ / ₁₆ "
FT-3	In-the-Wall	3 tables, cabinet	86 "	87"	31"	32 ¹ / ₄ "	18"	17 ³ / ₈ "
FT-4	In-the-Wall	4 tables, cabinet	86 "	87"	31"	32 ¹ / ₄ "	24"	23 ³ / ₁₆ "
STB-3	On-the-Wall	1 table, 2 benches, cabinet		86 ⁵ / ₈ "		60 ⁵ / ₈ "		5 ¹¹ / ₁₆ "
STB-6	On-the-Wall	2 tables, 4 benches, cabinet		86 ⁵ / ₈ "		60 ⁵ / ₈ "		11 ¹ / ₁₆ "
STB-9	On-the-Wall	3 tables, 6 benches, cabinet		86 ⁵ / ₈ "		60 ⁵ / ₈ "		17 ³ / ₈ "
STB-12	On-the-Wall	4 tables, 8 benches, cabinet		86 ⁵ / ₈ "		60 ⁵ / ₈ "		23 ³ / ₁₆ "
ST-1	On-the-Wall	1 table, cabinet		86 ⁵ / ₈ "		32 ¹ / ₄ "		5 ¹¹ / ₁₆ "
ST-2	On-the-Wall	2 tables, cabinet		86 ⁵ / ₈ "		32 ¹ / ₄ "		11 ¹ / ₁₆ "
ST-3	On-the-Wall	3 tables, cabinet		86 ⁵ / ₈ "		32 ¹ / ₄ "		17 ³ / ₈ "
ST-4	On-the-Wall	4 tables, cabinet		86 ⁵ / ₈ "		32 ¹ / ₄ "		23 ³ / ₁₆ "

Specifications

FOLDING TABLE AND BENCH SETS

Furnish two-leaf folding tables and benches, complete with steel cabinets, Model No. _____ (in-the-wall or on-the-wall), as manufactured by Son-Nel Products Company, 900 - 19th Avenue, Oakland 6, California.

TABLES AND BENCHES

Tables shall be approximately 14 feet long by 28 inches wide; benches approximately 14 feet long by 12 inches wide of the following construction:

Top shall be three-quarter inch ($\frac{3}{4}$ ") plywood, laminated Formica pattern on top and plastic coated backing sheet on bottom. Each table section shall have two extruded aluminum hat channels full length of units. Top shall be banded with seven-eighth inch ($\frac{7}{8}$ ") flat anodized aluminum T molding. Three-quarter inch ($\frac{3}{4}$ ") space minimum between top leaves on tables and benches.

Legs and braces shall be of one inch (1") o.d. tubular steel, bright zinc plated.

Casters shall be Bassick oil-less bushing rubber-tired.

Each table and bench shall be equipped with two manually operated locks. One for locking into cabinet, one for disconnecting units from wall cabinet.

The design of these locks to be such that only the proper key will operate them.

Each table and bench unit shall be equipped with tail wheel.

TABLE AND BENCH HEIGHTS

Standard table heights: 24 $\frac{1}{2}$ " , 27 $\frac{1}{2}$ " , 30" .

Standard bench heights: 15" , 17 $\frac{1}{2}$ " , 20" .

(Any height table and bench will operate in any cabinet.)

ATTACHMENT

The extended tables and benches are instantly detachable from the cabinet to enable them to be placed in any position in the room.

STEEL CABINETS

Cabinets to house tables and benches shall be welded construction of 16 gauge steel, bonderized and with a baked-on prime coat. Cabinets shall have positive non-mechanical lock at top of unit. All attachments shall be furnished by manufacturer.

INSTALLATION

Contractor or purchaser will provide recess for in-the-wall models, and install both on-the-wall and in-the-wall cabinets, true and plumb.

SON-NEL DISTRIBUTORS

ALABAMA

MOBILE, Brabner Bldg. Spec., Inc.
P. O. Box 366, Crichton Station

ARIZONA

PHOENIX, Haskell-Thomas, Inc.
3808 N. Central Ave.

CALIFORNIA

OAKLAND, Son-Nel Products Co.
900 - 19th Ave.

CANADA

BRITISH COLUMBIA, BURNABY
Construction Products Co.
Div. of Royal Oak Holdings, Ltd.
5776 Beresford St.

CONNECTICUT

BLOOMFIELD, W. L. Walker Co.
P. O. Box 257, 21 Wintonbury Ave.

FLORIDA

TAMPA 4, T. E. Jacobson
P. O. Box 8006

GEORGIA

CHAMBLEE, John F. Revell
5628 Chamblee-Dunwoody Rd.

IDAHO

BOISE, Casco, Inc.
P. O. Box 335
POCATELLO, Gen. Typewriter Exch., Inc.
553 S. 8th Ave.

ILLINOIS

CHICAGO 46, School Equipment Co.
6124 N. Milwaukee Ave.
ROCK ISLAND, A. M. Blood Co.
305 Twentieth St.

INDIANA

FORT WAYNE, Wholesale Bldrs. Supply Co.
3010 S. Calhoun St.
GREENFIELD, D. H. Goble Printing Co.
15 South East St.
RICHMOND, Runnels Bldrs. Products
306 Randolph St.

KANSAS

PITTSBURG, Bowlus School Supply Co.
1015 N. Broadway

SALINA, Hubert Ellison Co.
P. O. Box 478

LOUISIANA

NEW ORLEANS, Louisiana School Supply Co.
833 Howard Ave.
SHREVEPORT, Ideal Bldg. Mtls., Inc.
1730 Claiborne Ave., P. O. Box 1545

MASSACHUSETTS

BOSTON 15, Construction Spec. Co.
126 Massachusetts Ave.

MICHIGAN

DETROIT, Howard & Smith
404 W. Eight Mile Rd.
GRAND RAPIDS 6, G. W. Clements Co.
816 Cherry St., S. E.

MISSISSIPPI

JACKSON, Clark Bldg. Material Co.
316 First Fed. Bldg. & Loan Annex
P. O. Box 1301

MONTANA

BUTTE, Archibald Co.
P. O. Box 755

NEVADA

RENO, Morrill & Machabee
130 S. Center St.

NEW HAMPSHIRE

KEENE, Robert A. Bennett
Hurricane Road

NEW JERSEY

PENNSAUKEN, Roberts Bros., Inc.
5115 Rt. 38

NEW MEXICO

ALBUQUERQUE, George Mayhew
705 Morningside Dr., N. E.
P. O. Box 8301

NEW YORK

BUFFALO 3, A. O. Stilwell Sch. Equip. Co.
991 Main St.

RENSSELAER, Kelly Associates

312 Broadway
SYRACUSE 6, A. P. Madden
P. O. Box Eastwood Station

NORTH CAROLINA

ASHEVILLE, Collins Wyatt
P. O. Box 8244

OHIO

BOWLING GREEN, Bowling Green Equip. Co.
1026 N. Main St.

CINCINNATI 2, Backus Brothers Co.
212 E. Third St.

YOUNGSTOWN 9, Briggs-Jones, Inc.
2616 Mahoning Ave.

OKLAHOMA

OKLAHOMA CITY, Remco, Inc.
1205 N. Pennsylvania Ave.

OREGON

PORTLAND 17, Steward Griffith Co.
P. O. Box 5690, Kenton Station

SOUTH DAKOTA

RAPID CITY, Espe Printing
31 East Omaha St.

TENNESSEE

KNOXVILLE, Construction Services Co.
P. O. Box 3333
NASHVILLE, Mannings Materials Co.
P. O. Box 6153

TEXAS

AMARILLO, Amarillo Arch. Prods. Inc.
1212 E. Ninth St.
CORPUS CHRISTI, W. G. Gower Co.
223 N. Port Ave., P. O. Box 2095
DALLAS, Roy L. Jacobs Co.
2518 Cedar Springs
EL PASO, Architectural Prods. Co., Inc.
506 E. Yandell Blvd., P. O. Box 7307
HOUSTON, Roy L. Jacobs Co.
3805 Main St.

UTAH

SALT LAKE CITY, Crestwood Co.
211 S. 2nd West

VIRGINIA

RICHMOND 3, J. K. Messersmith Co.
13 S. 2nd St.

WASHINGTON

SEATTLE 9, Hal Fogman & Assoc.
P. O. Box 9084, Queen Anne Station
SPOKANE, Clyde Stricker, Inc.
1017 W. Railroad Ave.

WEST VIRGINIA

CHARLESTON, Crichton Engineering Co.
P. O. Box 1946

WISCONSIN

COLEMAN, Coleman School Supply Co.
1313 Main St.
MILWAUKEE 4, J. F. Cook Co.
2320 W. Greenfield Ave.



SON-NEL PRODUCTS COMPANY

Manufacturers of Quality

CHALK BOARDS • BULLETIN BOARDS • STAGE AND DARKENING DRAPES • DRAPERY TRACK • CUBICLE CURTAINS AND TRACK • IN-THE-WALL AND ON-THE-WALL TYPE FOLDING TABLES AND BENCHES

SINCE 1946

900 - 19TH AVENUE • OAKLAND 6, CALIFORNIA • TELEPHONE KEllog 3-6090

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA